

ITEM 1
SPECIFICATIONS

General Requirement: Six passenger Dump Truck, 4x4, four doors, minimum 14,000 GVWR, not to exceed 17,999 GVWR, automatic transmission. Similar to Chevy Silverado 3500HD With Lift Gate, Lift gate specs at end.

***Bidder's
Exceptions***

Engine: Minimum 6.0 Liter, Turbo-Diesel, heavy duty engine cooling, Diesel Exhaust Brake.

Electrical: 12 volt DC negative ground system, electronic ignition.

Interior Climate: Fresh air heater and defroster, manufacturer's standard air conditioning with manual controls.

Trans-
mission: Allison Automatic Transmission, Part time 4-wheel drive with low range Capability, 3.42 Rear axle Ratio.

FORD TORQSHIFT

Brakes: Power assist 4-wheel disc brakes.

Suspension: Independent front suspension with Heavy Duty Springs Solid Rear axle configuration

FRONT MONO BEAM NON-
INDEPENDENT

Steering: Hydraulic Power assisted

Interior: Vinyl bench or split-bench seat, six seat belts, standard rubber flooring, dual sun visors.

Wheels &
Tires: Seven (7) full size as required by GVW.

Mirrors: dual swing-away extendable towing, lower convex, power mirrors

Windshield: Tinted glass two-speed + intermittent windshield wiper with washer.

Windows: All windows 35% tinted to conform with Hawaii State law, full locking power, rain guards on all four doors.

ITEM 1- CONTINUED

General Requirement: Six passenger Dump Truck, 4x4, four doors, minimum 14,000 GVWR, not to exceed 17,999 GVWR, automatic transmission. Similar to Chevy Silverado 3500HD With Lift Gate, Lift gate specs at end.

Bidder's Exceptions

Radio: Manufacture standard infotainment system

Gauges: Gauges for fuel, oil pressure, engine temperature and amp or voltmeter.

Transmission Temp and DEF gauges

MESSAGE CENTER PROMPT

Rust

Proofing: Ziebart or other locally applied equal with minimum three year/30,000 mile written warranty.

Cargo Box: 2-yard cubic drop side dump body minimum, 3 yard maximum, Knapheide KDBDS912, or equal. Ends & sides of minimum 12-gauge, floor of minimum 10-gauge 50,000 PSI yield high strength alloy steel. 9' long x 78" inside width with 12" high sides, 26.5" Tapered bulkhead. Bulkhead to be furnished with minimum 1/4, maximum 1/2-cab protector shield and rear-view mirror, cut out with screen. 7" interlocking longills. Side board pocket extensions with rubber removable 4" "cheater" boards. Mud flaps fore and aft of rear wheels. Safety body prop and all lights and reflectors as required to meet Federal and State requirements. Builder to caution on height of bed not to exceed 60" from ground to top of bed side unless authorized by the County of Hawaii

Hoist: Underbody subframe scissor hoist, 8.7-ton light capacity, single acting, NTEA performance class 10. Electric pump with push button control, mounted in cab near diver side.

Accessories:

1. Back-up warning device.
2. Back-up camera.
3. Combination, alternating amber & clear (amber, clear, amber, clear, etc.) Full furnished LED mini light bar with stainless steel brush guard atop cab with controls in cab on driver's side, Wired to ignition on. Whelen Mini Legacy or Liberty II Mini LED lightbar, model IT9ACACP

ITEM 1- CONTINUED

General Requirement: Six passenger Dump Truck, 4x4, four doors, minimum 14,000 GVWR, not to exceed 17,999 GVWR, automatic transmission. Similar to Chevy Silverado 3500HD With Lift Gate, Lift gate specs at end.

Bidder's Exceptions

Accessories

Con't: LED mini light bar must be visible from front and rear of vehicle.
One (1) 5# Dry chemical fire extinguisher per vehicle, to be mounted in cab by manufacturer.
Tow package – includes trailer hitch with dual tow chain hooks, removable pintle and 2" ball hitch combination; Dual Standard 7-way and Flat 4 trailer light receptacle, manufacture standard integrated trailer brake controller.
Three (3) each operator's manual, service manual, emission manual, and parts manual per vehicle with one (1) set on CD.

Manufactures standard full length running board.

White color.

One (1) programable two-way VHF mobile radio Motorola Model APX4500 P25 Phase 2 shall be Mounted in cab. All accessories to provide a complete and fully Functional system shall be provided. Mobile radio shall be accessed From both driver and passenger seat positions.
Features to Include

- Astro Digital
- Smartzone operation
- P25 9600 Baud trunking
- TDMA Operation
- Over the Air Programing P25
- APCO Packet data Interface
- Smart Zone Operation

Programing Shall be done by Highways Division

Warranty: The vendor shall provide full extended vehicle warranty for parts and labor.

The vendor shall include all costs, including travel and shipping costs, for all related warranty work.

ITEM 1- CONTINUED

General Requirement: Six passenger Dump Truck, 4x4, four doors, minimum 14,000 GVWR, not to exceed 17,999 GVWR, automatic transmission. Similar to Chevy Silverado 3500HD With Lift Gate, Lift gate specs at end.

***Bidder's
Exceptions***

Lift Gate Specs

Hydraulic Lift Gate, similar or equal to Tommy Gate G2 Series, G2-92-1650 LD34 model, newest model

Application: Dump Box

Capacity: 1600 lbs.

Platform Detail: One-piece steel treadplate w/ dump-through capability, 36" loading depth, and a 6" taper, rubber platform bumpers

Drive System: Dual Hydraulic Cylinders

Hydraulic System: Enclosed Unit - all critical components are factory enclosed in main frame of gate providing protection from elements and damage. Easy access for servicing. Pressure Relief Valve - prevents operator from overloading the platform. Cylinder Mounted Flow Control Valves - prevents uncontrolled descent of platform.

Electrical System: Control Unit - moisture resistant standard fixed control and remote pendant control / deactivates 90 seconds after last operation (helps prevent unauthorized use) /timer reset and on-off button permanently and conveniently located on control unit and positioned under logo and bulls eye respectively. Circuit Breaker - 150 Amp continuous, 3000 Amp Interrupt, 30 VDC, Watertight, Manual Reset. Mounted in-line with 4 AWG positive battery cable, protects vehicle in the event of an electrical short. Power/Ground Cable - factory supplied 4 AWG ground cable molded with power cable. Providing a direct connection from liftgate to truck battery. In-cab, shut off switch.

ITEM 1- CONTINUED

General Requirement: Six passenger Dump Truck, 4x4, four doors, minimum 14,000 GVWR, not to exceed 17,999 GVWR, automatic transmission. Similar to Chevy Silverado 3500HD With Lift Gate, Lift gate specs at end.

***Bidder's
Exceptions***

Lift Gate Specs- continued

Drive Train: Parallel Arm Pins - 3/4" (19mm) OD hard chrome plated steel round. Parallel

Arm Pin Bushings - self-lubricating composite.

Safety: operation Curb-side Fixed Control - timer deactivates 90 seconds after last (helps prevent unauthorized use). Pressure Relief Valve - prevents operator from overloading the platform.

Misc.: be Price to include installation and all associated installation costs (to installed on a 1-ton Crew Cab with a **Knapheide** dump box, **RUGBY ELIMINATOR** model KDBDS912).

Warranty: The vendor shall provide full machine warranty for parts and labor.

The vendor shall include all costs, including travel costs, for all related warranty work.

Three (3) year warranty against defects in materials and workmanship.

Part Number	Description	Quantity	UOM
9/2 DS EDA	*RUGBY DUMP, DROP SIDE	1.00	EA
	RUGBY FOLD DOWN SIDE ELIMINATOR LP DUMP BODY 9'7" X 96" BODY WITH 2/3 YARD CAPACITY 10GA. STEEL FLOOR AND ENDS W/ FULLY BOXED TOP RAIL 12GA. GRADE-50 12" DROP SIDES W/ QUICK RELEASE LEVER 3" I-BEAM CROSSMEMBERS ON 16" CENTERS 5" STRUCTURAL CHANNEL LONGSILLS TAILGATE DELETED FOR LIFTGATE APPLICATION FULLY BOXED PERIMETER TAILGATE W/ TWO (2) VERTICAL BRACES 1/4 TAPERED CAB SHIELD INSTALLED (SHIP THRU DESIGN) 6" VERTICAL SIDE BRACES WITH POLY BOARD EXTENSIONS LED LIGHTS STANDARD REFLECTORS, MUDFLAPS (FORE/AFT REAR AXLE), BACK-UP ALARM 5LB DRY CHEMICAL FIRE EXTINGUISHER, MOUNTED IN-CAB PAINTED SINGLE STAGE WHITE INSTALLED RUGBY MODEL SR4016 SUBFRAME SCISSOR TYPE HOIST NTEA CLASS C40 HOIST, 10.1 TON CPACITY ELECTRIC DOUBLE ACTING (POWER UP/POWER DOWN) INSTALLED ** NOTE ** BODY WILL PAINTED THE CLOSEST COLOR MATCH POSSIBLE TO THE CAB COLOR AS DETERMINED BY THE MATCHING TECHNIQUES UTILIZED BY THE AUTOMOTIVE PAINT MANUFACTURE. CERTIN COLORS MAY APPEAR MISS-MATCHED DUE TO THE ROUND / FLAT EFFECT OF THE BODY AND TRUCK CAB. LIGHT REFLECTS DIFFERENTLY ON CURVED AND FLAT SURFACES CAUSING THE APPERANCE OF A COLOR SHIFT OR MISS-MATCH.		
CLASS V	*RECEIVER HITCH, 7 WAY PLUG	1.00	EA
	ACME CLASS V RECIEVER HITCH 2-1/2"OPENING UP TO 18,000# MAX TOW WEIGHT 4-WAY FLAT, 7-WAY TRAILER PLUG (ROUND PIN) REMOVABLE 10 TON COMBINATION HITCH (2" BALL/PINTLE) HITCH PIN INSTALLED		
RUNNING BOARD	*6" ROUND BLACK TUBE CAB LENGT	1.00	EA
	CREW CAB LENGTH 6" OVAL NERF BARS WITH STEP PADS POWER COATED BLACK STEEL CONSTRUCTION WITH WELDED END CAPS ROCKER PANEL MOUNT INSTALLED ON DRIVER/PASSENGER SIDES		
LIFTGATE	*MAXON, LIFT N DUMP, 1600# CAP.	1.00	EA
	MAXON DUMP THROUGH LIFTGATE MODEL C2-92-1650 DT33 1,600 LB CAPACITY 83"x33" TREADPLATE PLATFORM WITH 6" TAPER DUMP THRU PLATFORM INSTALLED		

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• VEHICLE REPORT

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

SELECTED MODEL

Code

Description

W3H

2024 Ford F-350 Chassis 4x4 SD Crew Cab 179" WB DRW 60" CA XL

SELECTED VEHICLE COLORS

Code

Description

-

Interior: MEDIUM DARK SLATE

-

Exterior 1: OXFORD WHITE

-

Exterior 2: No color has been selected.

SELECTED OPTIONS

Description

Order Code 640A

50-State Emissions System

Engine: 6.7L 4V OHV Power Stroke V8 Turbo Diesel B20
(86M) Dual 68 AH/65 AGM Battery. Includes Operator Commanded Regeneration
(OCR), Diesel Exhaust Fluid (DEF) tank, intelligent oil-life monitor and manual
push-button engine-exhaust braking.

Transmission: TorqShift 10-Speed Automatic
10R140 with neutral idle. Includes SelectShift and selectable drive modes: normal,
tow/haul, eco, slippery roads and off-road.

Limited Slip w/4.10 Axle Ratio

GVWR: 14,000 lb Payload Package

Tires: LT245/75R17E BSW A/T

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 5.0, Data updated 07/17/2014 11:13:22 PM ©Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

February 07, 2024

Page 1

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• **VEHICLE REPORT**

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

SELECTED OPTIONS

Description

Spare may not be the same as road tire.

*Wheels: 17" Argent Painted Steel
Hub covers/center ornaments not included.*

*Spare Tire & Wheel
(61J) 4-Ton Hydraulic Jack. Excludes carrier. Required in Rhode Island.*

*HD Vinyl 40/20/40 Split Bench Seat
Includes center armrest, cupholder, storage, 2-way adjustable driver/passenger
headrests and driver's side manual lumbar.*

Monotone Paint Application

179" Wheelbase

*Radio: AM/FM Stereo w/MP3 Player
SYNC 4 Communications & Entertainment System : Includes enhanced voice
recognition, 911 Assist, 8" LCD center stack screen, AppLink, 1 smart-charging USB
port and trailer brake controller. Includes 6 speakers.*

4-Ton Hydraulic Jack

Transfer Case Skid Plates

*Automated Emergency Braking (AEB) Removal
Removes Pre-Collision Assist with Automated Emergency Braking (AEB) and forward
collision warning, auto high beams, post impact braking and audible lane departure
warning.*

Dual 68 AH/65 AGM Battery

*Front License Plate Bracket
Standard in states requiring 2 license plates and optional to all others.*

*Rear View Camera & Prep Kit
Pre-installed content includes cab wiring and frame wiring to the rear most cross
member. Upfitters kit includes camera with mounting bracket, 20' jumper wire and
camera mounting/aiming instructions.*

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• VEHICLE REPORT

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

SELECTED OPTIONS

Description

Exterior Backup Alarm (Pre-Installed)

Built: Kentucky Truck Plant

Ship-Thru: Manning Truck Equipment

*Fleet Customer Powertrain Limited Warranty
Ford is increasing the 5-year 60,000-mile limited powertrain warranty to 5-years, 100,000 miles. Only Fleet purchasers with a valid Fleet Identification Number (FIN code) will receive the extended warranty. When the sale is entered into the sales reporting system with a sales type fleet along with a valid FIN code, the warranty extension will automatically be added to the vehicle. The extension will stay with the vehicle even if it is subsequently sold to a non-fleet customer before the expiration. This extension applies to both gas and diesel powertrains. Dealers can check for the warranty extension on eligible fleet vehicles in OASIS. Please refer to the Warranty and Policy Manual section 3.13.00 Gas Engine Commercial Warranty. This change will also be reflected in the printed Warranty Guided distributed with the purchase of every new vehicle. Requires valid FIN code.*

Medium Dark Slate

Oxford White

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• **VEHICLE REPORT**

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

STANDARD EQUIPMENT

Powertrain

- *Powerstroke 330hp 6.7L OHV 32 valve intercooled turbo V-8 engine with diesel direct injection*
- *Recommended fuel : diesel*
- *Emissions Type: federal*
- *10 speed automatic transmission with overdrive, SelectShift sequential sport shift, driver mode select*
- *Part-time 4 wheel drive*
- *Limited slip differential*
- *Fuel Tank Capacity: 40.0gal.*

Suspension/Handling

- *Front Mono-beam non-independent suspension with anti-roll bar, HD shocks*
- *Rear DANA M300 rigid axle leaf suspension with anti-roll bar, HD shocks*
- *Firm ride suspension*
- *Hydraulic power-assist re-circulating ball steering*
- *Front and rear 17" x 6.5" argent steel wheels*
- *LT245/75SR17.0E BSW AT front and rear tires*
- *Dual rear wheels*

Body Exterior

- *4 doors*
- *Conventional left rear passenger door*
- *Conventional right rear passenger door*
- *Driver and passenger power remote heated door mirrors*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 5.0, Data updated 07/17/2014 11:13:22 PM ©Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

February 07, 2024

Page 4

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• VEHICLE REPORT

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

STANDARD EQUIPMENT

Body Exterior (Continued)

- *Turn signal indicator in mirrors*
- *Black door mirrors*
- *Black front bumper*
- *1 skid plate*
- *Trailer harness*
- *Clearcoat paint*
- *Trailer sway control*

Convenience

- *Manual air conditioning with air filter*
- *Cruise control with steering wheel controls*
- *Power windows*
- *Driver and passenger 1-touch down*
- *Driver and passenger 1-touch up*
- *Remote power door locks with 2 stage unlock and illuminated entry*
- *Manual tilt steering wheel*
- *Manual telescopic steering wheel*
- *Day-night rearview mirror*
- *FordPass Connect 5G internet access*
- *SYNC 4 911 Assist emergency communication system*
- *Wireless phone connectivity*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 5.0, Data updated 07/17/2014 11:13:22 PM ©Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

February 07, 2024

Page 5

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• **VEHICLE REPORT**

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

STANDARD EQUIPMENT

Convenience (Continued)

- 2 1st row LCD monitors
- Front and rear cupholders
- Passenger visor vanity mirror
- Full overhead console

Seats and Trim

- Seating capacity of 6
- Front 40-20-40 split-bench seat
- 4-way driver seat adjustment
- Manual driver lumbar support
- 4-way passenger seat adjustment
- Center front armrest with storage
- 60-40 folding rear split-bench seat

Entertainment Features

- AM/FM stereo radio
- SYNC 4 external memory control
- Steering wheel mounted radio controls
- 6 speakers
- Fixed antenna

Lighting, Visibility and Instrumentation

- Halogen aero-composite headlights

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 5.0, Data updated 07/17/2014 11:13:22 PM ©Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

February 07, 2024

Page 6

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• VEHICLE REPORT

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

STANDARD EQUIPMENT

Lighting, Visibility and Instrumentation (Continued)

- *Delay-off headlights*
- *Auto on/off headlights*
- *Variable intermittent front windshield wipers*
- *Light tinted windows*
- *Front and rear reading lights*
- *Tachometer*
- *Compass*
- *Outside temperature display*
- *Low tire pressure warning*
- *Trip computer*
- *Trip odometer*
- *Rear camera*

Safety and Security

- *4-wheel ABS brakes*
- *Brake assist*
- *4-wheel disc brakes*
- *Driveline traction control*
- *Dual front impact airbag supplemental restraint system*
- *Dual seat mounted side impact airbag supplemental restraint system*
- *Safety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 5.0, Data updated 07/17/2014 11:13:22 PM ©Copyright 1986-2012 Chrome Data Solutions, L.P. All rights reserved.

February 07, 2024

Page 7

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• VEHICLE REPORT

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

STANDARD EQUIPMENT

Safety and Security (Continued)

- *Remote activated perimeter/approach lighting*
- *Power remote door locks with 2 stage unlock and panic alarm*
- *SecuriLock immobilizer*
- *Manually adjustable front head restraints*
- *3 manually adjustable rear head restraints*

Specs and Dimensions

- *Engine displacement: 6.7L*
- *Engine horsepower: 330hp @ 2,200RPM*
- *Engine torque: 950 lb.-ft. @ 1,800RPM*
- *Bore x stroke : 3.90" x 4.25"*
- *Compression ratio: 15.20:1*
- *Gear ratios (1st): 4.62*
- *Gear ratios (2nd): 2.92*
- *Gear ratios (3rd): 2.13*
- *Gear ratios (4th): 1.77*
- *Gear ratios (5th): 1.52*
- *Gear ratios (6th): 1.28*
- *Gear ratios (7th): 1.00*
- *Gear ratios (8th): 0.85*
- *Gear ratios (9th): 0.69*

Report content is based on current data version referenced. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions. PC Carbook®, Data Version: 5.0, Data updated 07/17/2014 11:13:22 PM ©Copyright 1986-2012 Chrome Data Solutions, LP. All rights reserved.

February 07, 2024

Page 8

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• VEHICLE REPORT

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

STANDARD EQUIPMENT

Specs and Dimensions (Continued)

- *Gear ratios (10th): 0.63*
- *Gear ratios (reverse): 4.70*
- *Curb weight: 7,569lbs.*
- *GVWR: 14,000lbs.*
- *Front GAWR: 5,600lbs.*
- *Rear GAWR: 10,300lbs.*
- *Payload: 6,520lbs.*
- *Towing capacity: 17,500lbs.*
- *Exterior length: 265.2"*
- *Exterior body width: 80.0"*
- *Exterior height: 81.2"*
- *Wheelbase: 179.0"*
- *Front track: 69.1"*
- *Rear track: 71.1"*
- *Turning radius: 29.4'*
- *Min ground clearance: 7.8"*
- *Front legroom: 43.9"*
- *Rear legroom: 43.6"*
- *Front headroom: 40.8"*

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• VEHICLE REPORT

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

STANDARD EQUIPMENT

Specs and Dimensions (Continued)

- *Rear headroom: 40.4"*
- *Front hiproom: 62.5"*
- *Rear hiproom: 64.7"*
- *Front shoulder room: 66.7"*
- *Rear shoulder room: 65.9"*
- *Passenger volume: 131.7cu.ft.*
- *Interior rear cargo volume seats folded: 52.1cu.ft.*
- *Interior maximum rear cargo volume: 52.1cu.ft.*
- *5th-wheel towing capacity : 25,600 lbs.*

Prepared By:
Administrator
Orchid Isle Ford
1030 Kanoelehua Ave.
Hilo, Hawaii, 96720
Phone: (808) 935-1191

2024 Ford F-350 Chassis

• **VEHICLE REPORT**

2024 Ford F-350 Chassis W3H 4x4 SD Crew Cab 179" WB DRW 60" CA XL

WARRANTY INFORMATION

WARRANTY

Basic:

36 month/36,000 miles

Powertrain:

60 month/100,000 miles

Corrosion Perforation:

60 month/unlimited mileage

Roadside Assistance:

60 month/60,000 miles

Diesel Engine:

60 month/100,000 miles